



**VISE-GRIP®**  
Locking Hand Tools



**Prosnip®**  
Aviation, Offset and  
Tinner Snips



**Unibit®**  
Step Drills

Resale Price Sheet  
Number 124  
Effective January 1, 1988

American Tool Companies, Inc.  
Customer Service Department  
P.O. Box 337  
DeWitt, Nebraska 68341  
Phone: 402-683-2315  
FAX: 402-683-5800  
TWX: 910-623-9020

**LOWE STAR TOOL**

P.O. Box 656 - Ph. 267-4231  
Arlington, Texas 76010

© 1987 Petersen Manufacturing Co., Inc.,  
Lincoln, Nebraska 68508  
Printed in U.S.A.

**AMERICAN TOOL COMPANIES, INC.**



## **WARRANTY INFORMATION FOR VISE-GRIP®, Prosnip® AND Unibit® TOOLS**

### **WARRANTIES:**

All **WISE-GRIP** and **PROSNIP** tools, having passed a rigid factory inspection, are warranted against defects in materials and workmanship for one year from date of original purchase. Any **WISE-GRIP** or **PROSNIP** tool that is abused, or used for purposes other than those for which the tool was designed, is excluded from this warranty. If a **WISE-GRIP** or **PROSNIP** tool appears to be below our manufacturing standards, it may be returned to the factory. If factory inspection determines that the tool is within this warranty, the tool will be repaired or replaced without charge. (Factory recommendation: an occasional drop of oil on all points of wear will insure better operation and prolong the life of the tool.)

The **UNIBIT** step drill and **PUNCH PULLER®** mechanical drive system are high quality tools, carefully made from the finest grades of high speed steel. As such, they are guaranteed against defects in workmanship or materials for one year from date of original purchase. All parts of any broken or defective tool must be returned to us for determination as to the cause of breakage or defect. If we find the tool to be deficient in either workmanship or materials, it will be repaired or replaced without charge. This warranty, however, does not cover broken tips for **UNIBIT** step drills, or other damage caused by misuse or abuse of the tool.

These warranties do not extend to consequential damages except where required by law. These warranties give you specific legal rights which may vary from state to state.

### **NOTICE:**

All prices subject to increase without notice by the amount of any Sales or Excise Tax, imposed, levied or assessed by any Municipal, State, or Federal Agency against the items listed in this price sheet.





### **SAFETY TIPS / WARNINGS:**

We caution tool users that it is prudent to follow rules of safety.





- Protect your eyes; ALWAYS wear safety goggles.
- NEVER expose tool to heat from welding torches or to contact with electric arcs.
- NEVER use as a striking tool.
- NEVER use handle extensions or strike the tool to increase leverage.
- NEVER use tool as a structural support.
- ALL TOOLS should be kept clean, inspected and replaced when worn.



# 

TOOL	ITEM	UPC MFG. NO. 38548 NIDA/SIDA	SIZE	PACKAGING DATA				SUGG. LIST PRICE (EACH)	SUGG. RESALE PRICE (EACH)
				SHELF CARTON	MASTER SHIPPING CASE				
					QTY. EA.	QTY. EA.	WT.		
 Straight Jaw Locking Pliers	10R®	00001	250mm/ 10"	5	50	31.3 kg/ 69 lbs.	1.34	10.80	7.20
	7R®	00003	180mm/ 7"	5	50	20.4 kg/ 45 lbs.	.95	9.95	6.64
 Curved Jaw Locking Pliers with Wire Cutter	10WR®	00005	250mm/ 10"	5	50	29.9 kg/ 66 lbs.	1.34	11.50	7.67
	7WR®	00007	180mm/ 7"	5	50	20.0 kg/ 44 lbs.	.95	10.70	7.14
	5WR®	00009	125mm/ 5"	5	50	9.1 kg/ 20 lbs.	.54	9.75	6.50
	4WR™	00010	100mm/ 4"	5	50	5.9 kg/ 13 lbs.	.47	8.95	5.97
 Curved Jaw Locking Pliers	10CR®	00011	250mm/ 10"	5	50	29.9 kg/ 66 lbs.	1.34	11.20	7.47
	7CR®	00013	180mm/ 7"	5	50	20.0 kg/ 44 lbs.	.95	10.35	6.90
 Long Nose Locking Pliers with Wire Cutter	6LN®*	00014	150mm/ 6"	5	50	10.4 kg/ 23 lbs.	.63	11.40	7.60
	9LN®*	00015	230mm/ 9"	5	50	21.3 kg/ 47 lbs.	1.08	13.80	9.20
	4LN™*	00016	100mm/ 4"	5	50	5.9 kg/ 13 lbs.	.47	10.40	6.94

# 






 Locking C-Clamp with Swivel Pads	4SP™	00165	100mm/ 4"	5	25	4.5 kg/ 10 lbs.	.38	9.90	6.60
	6SP™	00018	150mm/ 6"	5	25	7.7 kg/ 17 lbs.	.59	11.40	7.60
	11SP™	00020	275mm/ 11"	5	25	22.7 kg/ 50 lbs.	1.46	18.35	12.24
	18SP™	00022	455mm/ 18"	N/A	10	13.6 kg/ 30 lbs.	.83	25.95	17.31
	24SP™	00028	600mm/ 24"	N/A	5	8.6 kg/ 19 lbs.	.88	32.35	21.58
 Locking C-Clamp with Regular Tips	6R®	00017	150mm/ 6"	5	25	7.3 kg/ 16 lbs.	.50	9.95	6.64
	11R®	00019	275mm/ 11"	5	25	21.3 kg/ 47 lbs.	1.46	16.90	11.27
	18R®	00021	455mm/ 18"	N/A	10	13.2 kg/ 29 lbs.	.70	24.50	16.34
	24R™	00275	600mm/ 24"	N/A	5	8.6 kg/ 19 lbs.	.88	30.90	20.61
 Locking Bar Clamp with Regular Tips	310R™**	00221	250mm/ 10"	N/A	5	6.8 kg/ 15 lbs.	.46	23.80	15.87
	318R™**	00223	455mm/ 18"	N/A	5	8.2 kg/ 18 lbs.	.79	25.90	17.28
 Locking Bar Clamp with Swivel Pads	310S™**	00226	250mm/ 10"	N/A	5	6.8 kg/ 15 lbs.	.46	25.20	16.81
	318S™**	00228	455mm/ 18"	N/A	5	8.6 kg/ 19 lbs.	.79	27.30	18.21

\*U.S. PATENT 4,541,312 AND 4,546,680  
OTHER U.S. AND FOREIGN PATENTS ISSUED AND PENDING.



\*\*U.S. AND FOREIGN PATENTS APPLIED FOR.



# **WISE-GRIP® Locking Specialty Tools**

TOOL	ITEM	UPC MFG. NO. 38548 NIDA/SIDA	SIZE	PACKAGING DATA				SUGG. LIST PRICE (EACH)	SUGG. RESALE PRICE (EACH)
				SHELF CARTON	MASTER SHIPPING CASE				
				QTY. EA.	QTY. EA.	WT.	CU.		
 Locking Sheet Metal Tool	8R®	00023	200mm/ 8"	N/A	25	13.6 kg/ 30 lbs.	.90	14.95	9.97
 Locking Welding Clamp	9R®	00025	230mm/ 9"	N/A	25	17.2 kg/ 38 lbs.	1.18	18.35	12.24
 Locking Pipe Clamp	11P™	00026	275mm/ 11"	N/A	25	22.2 kg/ 49 lbs.	1.46	20.10	13.41
 Locking Chain Clamp	20R®	00027	230mm/ 9"	5	10	8.6 kg/ 19 lbs.	.41	24.50	16.34
	20 EXT	00040	600mm/ 18"	1	N/A	283.5 gr/ 10 oz.	N/A	10.60	7.07
	20 REP	00140	600mm/ 18"	1	N/A	283.5 gr/ 10 oz.	N/A	10.60	7.07
 Locking Pinch-Off Tool	RR®	00029	180mm/ 7"	N/A	25	10.0 kg/ 22 lbs.	.50	12.60	8.40

## **WISE-GRIP® Locking Pliers Sets**

 VISE-GRIP GIFT SET®	215G™ ( 5WR® 10WR® )	00037	N/A	5	25	20.0 kg/ 44 lbs.	1.06	21.25	14.17
 VISE-GRIP® HOME & HOBBY SET™	213H™ ( 6LN®* 7WR® )	00036	N/A	5	25	14.5 kg/ 32 lbs.	.79	22.10	14.74

## **WISE-GRIP® Replacement Hardware**

TOOL	SPRINGS		ADJUSTING SCREWS	
	NO.	LIST	NO.	LIST
10R, 10WR, 10CR, 20R, 310R**, 310S**, 318R**, 318S**	08	.40	07	.50
7R, 7WR, 7CR, 9LN*, 8R, 9R, RR	22	.30	21	.40
11R, 11SP, 11P	22	.30	07	.50
5WR, 6LN*, 6R, 6SP	52	.20	51	.30
4WR, 4LN*, 4SP	92	.20	91	.30
18R, 18SP	34	.40	07	.50
24R, 24SP	137	.50	07	.50
Hardware Kit (contains 5 each—springs & adjusting screws)			145	18.75

\*U.S. PATENT 4,541,312 AND 4,546,680  
OTHER U.S. AND FOREIGN PATENTS ISSUED AND PENDING.




\*\*U.S. AND FOREIGN PATENTS APPLIED FOR.

FORM NO. 124





# PROSNIP® Snips








## Aviation Snips

TOOL	ITEM	UPC MFG. NO. 38548 NIDA/SIDA	SIZE	PACKAGING DATA				SUGG. LIST PRICE (EACH)	SUGG. RESALE PRICE (EACH)
				SHELF CARTON	MASTER SHIPPING CASE				
					QTY. EA.	QTY. EA.	WT.		
 (Red Grips) Cuts left or straight	101G™	21001	250mm/ 10"	5	25	11.79 kg/ 26 lbs.	.95	11.96	7.98
 (Green Grips) Cuts right or straight	102G™	21002	250mm/ 10"	5	25	11.79 kg/ 26 lbs.	.95	11.96	7.98
 (Yellow Grips) Cuts straight or wide curves	103G™	21003	250mm/ 10"	5	25	11.79 kg/ 26 lbs.	.95	11.96	7.98

## Offset Snips

 (Red Grips) Cuts straight and angles or curves left	20SL™ *	20001	225mm/ 9"	5	25	11.79 kg/ 26 lbs.	.98	15.25	10.17
 (Green Grips) Cuts straight and angles or curves right	20SR™ *	20002	225mm/ 9"	5	25	11.79 kg/ 26 lbs.	.98	15.25	10.17





## Tinner Snips






STRAIGHT CUTS AND WIDE CURVES									
	007™	22007	175mm/ 7"	5	25	5.90 kg/ 13 lbs.	.31	8.34	5.56
	010™	22010	250mm/ 10"	5	25	11.30 kg/ 25 lbs.	.80	10.29	6.86
	011™	22011	275mm/ 11"	5	25	14.50 kg/ 32 lbs.	.80	11.58	7.72
	012™	22012	320mm/ 12 3/4"	5	25	19.10 kg/ 42 lbs.	.80	12.99	8.66
TIGHT CURVES AND STRAIGHT CUTS									
	207™	23007	175mm/ 7"	5	25	5.40 kg/ 12 lbs.	.31	8.63	5.76
	210™	23010	250mm/ 10"	5	25	10.90 kg/ 24 lbs.	.80	10.53	7.02
	212™	23012	320mm/ 12 3/4"	5	25	18.60 kg/ 41 lbs.	.80	13.16	8.78



\* U.S. PATENT 4,463,497. OTHER U.S. AND FOREIGN PATENTS ISSUED AND PENDING.



# UNIBIT® Step Drills


SELF-STARTING MULTIPLE HOLE SIZES	ITEM	NUMBER OF HOLES	HOLE SIZE(S)	SHANK SIZE	STEP THICKNESS	UPC MFG. NO. 38548 NIDA/SIDA	PACKAGING DATA				SUGGESTED LIST PRICE (EACH)	SUGGESTED RESALE PRICE (EACH)
							SHELF CARTON	MASTER SHIPPING CASE				
								QTY. EA.	QTY. EA.	WT.		
	1 <sup>TM</sup>	13	1/8" to 1/2"	1/4"	1/8"	10101	5	25	2.3 kg/ 5 lbs.	.65	18.54	12.35
	2 <sup>TM</sup>	6	3/16" to 1/2"	1/4"	3/8"	10102	5	25	2.3 kg/ 5 lbs.	.65	18.54	12.35
	3 <sup>TM</sup>	9	1/4" to 3/4"	3/8"	1/8"	10103	5	10	1.4 kg/ 3 lbs.	.27	33.44	22.30
	4 <sup>TM</sup>	12	3/16" to 7/8"	3/8"	1/8"	10104	5	10	1.4 kg/ 3 lbs.	.27	39.92	26.63
UNIBIT® 3-PIECE SET	502 <sup>TM</sup>	Contains one each UNIBIT 1, 2, 3				10502	1	5	.9 kg/ 2 lbs.	.07	70.52	47.00

SELF-STARTING SINGLE HOLE SIZES												
	<b>10™</b>	1	1/2"	1/4"	—	10310	5	25	1.8 kg/ 4 lbs.	.65	18.34	12.22
	<b>11™</b>	1	7/8"	3/8"	—	10311	5	10	1.4 kg/ 3 lbs.	.27	37.82	25.20
	<b>12™</b>	1	3/8"	1/4"	—	10312	5	25	1.8 kg/ 4 lbs.	.65	14.48	9.64
	<b>13™</b>	1	1-1/8"	1/2"	—	10313	N/A	5	1.4 kg/ 3 lbs.	.17	50.78	33.64
	<b>14™</b>	1	1-7/32"	1/2"	—	10314	N/A	5	1.4 kg/ 3 lbs.	.17	57.74	36.84

HOLE ENLARGING BITS	NO. 20 REQUIRES 1/2" PILOT HOLE NO. 21 REQUIRES 3/4" PILOT HOLE											
	<b>20™</b>	8	9/16" to 1"	1/2"	1/8"	10220	5	10	1.8 kg/ 4 lbs.	.27	38.22	25.46
	<b>21™</b>	10	13/16" to 1-3/8"	1/2"	1/8"	10221	N/A	5	1.8 kg/ 4 lbs.	.17	81.68	54.46

\*U.S. PATENT 3,758,222. OTHER U.S. AND FOREIGN PATENTS ISSUED AND PENDING.

# PUNCH PULLER® Mechanical Drive System






TOOL	ITEM	UPC MFG. NO. 38548 NIDA/SIDA	MASTER SHIPPING CASE	MASTER CASE WEIGHT	MASTER CASE CU.	SUGG. LIST PRICE (EACH)	SUGG. RESALE PRICE (EACH)
	<b>MDS1™</b>	50000	1	2.70 kg/6 lbs.	.43	253.50	169.00
	THREADED ROD <b>TR1™</b>	50001	1	.45 kg/1 lb.	N/A	17.82	11.58
	“O” RINGS <b>OR1™</b>	50002	10	28.3 gr/1 oz.	N/A	.14	.09
	SHEAR PINS <b>SP1™</b>	50003	10	28.3 gr/1 oz.	N/A	.14	.09

\*U.S. PATENT 4,495,699. OTHER PATENTS ISSUED AND PENDING.

FORM NO. 124



# UNIBIT® Metric Step Drills

SELF-STARTING MULTIPLE HOLE SIZES	ITEM	NUMBER OF HOLES	HOLE SIZE(S)	SHANK SIZE	STEP THICKNESS	UPC MFG. NO. 38548 NIDA/SIDA	PACKAGING DATA				SUGGESTED LIST PRICE (EACH)	SUGGESTED RESALE PRICE (EACH)
							SHELF CARTON	MASTER SHIPPING CASE				
								QTY. EA.	QTY. EA.	WT.		
	1M™	9	4mm to 12mm	6.5mm/ 1/4"	5mm	11101	5	25	2.3 kg/ 5 lbs.	.65	18.54	12.35
	2M™	5	4mm to 12mm	6.5mm/ 1/4"	11mm	11102	5	25	2.3 kg/ 5 lbs.	.65	18.54	12.35
	3M™	7	6mm to 18mm	10mm/ 3/8"	5mm	11103	5	10	1.4 kg/ 3 lbs.	.27	33.44	22.30
	4M™	10	4mm to 22mm	10mm/ 3/8"	5mm	11104	5	10	1.4 kg/ 3 lbs.	.27	39.92	26.63
	5M™	13	5mm to 35mm	13mm/ 1/2"	2mm	11105	5	10	1.8 kg/ 4 lbs.	.17	73.70	49.16

SELF-STARTING SINGLE HOLE SIZE	ITEM	NUMBER OF HOLES	HOLE SIZE(S)	SHANK SIZE	STEP THICKNESS	UPC MFG. NO. 38548 NIDA/SIDA	QTY. EA.	QTY. EA.	WT.	CU.	SUGGESTED LIST PRICE (EACH)	SUGGESTED RESALE PRICE (EACH)

HOLE ENLARGING BITS	NO. 20M REQUIRES 12mm PILOT HOLE NO. 21M REQUIRES 18mm PILOT HOLE											

## UNIBIT® Accessories

STOP COLLARS	LENGTH / DIAMETER	UPC MFG. NO. 38548 NIDA/SIDA	MASTER SHIPPING CASE	MASTER CASE WEIGHT	SUGGESTED LIST PRICE (EACH)	SUGGESTED RESALE PRICE (EACH)
10A™ Use with UNIBIT 10™	1/2" / 5/8"	10401	5	.23 kg/8 oz.	3.62	2.40
10B™ Use with UNIBIT 10™	3" / 5/8"	10402	5	.45 kg/1 lb.	23.48	15.66
12A™ Use with UNIBIT 12™	1/2" / 1/2"	10403	5	.23 kg/8 oz.	3.62	2.40
12B™ Use with UNIBIT 12™	3" / 1/2"	10404	5	.45 kg/1 lb.	23.48	15.66
12MA™ Use with UNIBIT 12M™	12mm/12mm	11405	5	.23 kg/8 oz.	3.62	2.40
12MB™ Use with UNIBIT 12M™	75mm/12mm	11406	5	.45 kg/1 lb.	23.48	15.66
SHARPENING STONES**						
SS1™ Use w/3, 3M, 5M, 13, 14, 20, 20M, 21, 21M	—	10451	5	.23 kg/8 oz.	3.08	2.05
SS2™ Use w/1, 1M, 2, 2M, 10, 12, 12M	—	10452	5	.23 kg/8 oz.	3.98	2.65
SS3™ Use w/4, 4M, 11	—	10453	5	.23 kg/8 oz.	4.32	2.81

\* U.S. PATENT 3,758,222. OTHER U.S. AND FOREIGN PATENTS ISSUED AND PENDING.

\*\* MINIMUM ORDER — 5



---

## **AMERICAN TOOL COMPANIES, INC.**

American Tool Companies, Inc.  
Customer Service Department  
P.O. Box 337  
DeWitt, Nebraska 68341  
Phone: 402-683-2315  
FAX: 402-683-5800  
TWX: 910-623-9020